

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| 11 | 33 | enter\$5 with license adj information | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/10 19:10 |
| - | 66 | dongle with key and @ad<=19991229 . | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:19 |
| - | 6 | dongle with key with (pass\$5 or transmit\$6 or send\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:33 |
| - | 6885 | software adj module and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:33 |
| - | 1 | software adj module with exchang\$5 with key with identi\$9 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:34 |
| - | 11 | software adj module with key with identi\$9 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:38 |
| - | 590 | (705/51.ccls. or 705/55.ccls. or 705/56.ccls. or 705/57.ccls.) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:40 |
| - | 72 | 705/55.ccls. and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 14:45 |
| - | 39 | (pass\$5 or transmit\$6 or send\$5) with key with (delet\$5 or eras\$6) with device and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:05 |
| - | 2 | software adj module with copy with protect\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:03 |
| - | 0 | (705/56.ccls) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:43 |
| - | 2 | (705/56.ccls. and 705/55.ccls.) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:45 |
| - | 0 | (705/56.ccls. with 705/55.ccls.) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:45 |
| - | 71 | (705/56.ccls.) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:45 |
| - | 6 | ((705/56.ccls.) and @ad<=19991229) and dongle | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 15:55 |
| - | 21 | (rent\$5) with software with key and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 16:07 |

| | | | | |
|---|-----|--|---|------------------|
| - | 2 | ((hardware adj key) or dongle) with rent\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 16:22 |
| - | 4 | ((hardware adj key) or dongle) with stor\$5 with key with identif\$9 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 16:26 |
| - | 103 | key near2 rent\$3 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 16:24 |
| - | 8 | key near2 rent\$3 near4 (software or program) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 16:24 |
| - | 10 | track\$6 with (dongle or (hardware adj key)) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:20 |
| - | 71 | 705/56.ccls. and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:24 |
| - | 232 | only adj one with computer with (install\$5 or run\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:29 |
| - | 30 | only adj one adj2 computer with (install\$5 or run\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:47 |
| - | 5 | key adj module with rent\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:49 |
| - | 0 | ((key adj module) or (hardware adj key) or dongle or (software adj module)) with stor\$5 with identifier with track\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:48 |
| - | 1 | ((key adj module) or dongle or (hardware adj key)) with (multiple or plural\$5) adj2 (memory or stor\$4) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:58 |
| - | 5 | (rent\$5 or lease) with (key adj module) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 17:57 |
| - | 7 | ((key adj module) or dongle or (hardware adj key)) with first adj2 (memory or stor\$4) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:00 |
| - | 20 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with back with key and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:09 |
| - | 8 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with back with key and @ad<=19991229 not (((key adj module) or dongle) with back with key and @ad<=19991229) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:09 |
| - | 15 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with retriev\$5 with key and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:11 |

| | | | | |
|---|-----|--|---|------------------|
| - | 6 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with track\$5 with key and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:11 |
| - | 124 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with trac\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:12 |
| - | 90 | ((key adj module) or dongle or (hardware adj key) or (software adj module)) with trac\$3 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:15 |
| - | 13 | ((key adj module) or dongle or (hardware adj key)) with trac\$3 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:17 |
| - | 13 | (device or module or smart\$card) with track\$3 with rent\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:20 |
| - | 13 | (device or module or smart\$card or dongle) with track\$3 with rent\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:20 |
| - | 0 | (dongle or (key adj module) or (hardware adj key)) adj stor\$5 with (user or computer) adj2 (identif\$9 or information or data)and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:22 |
| - | 3 | (dongle or (key adj module) or (hardware adj key)) with stor\$5 with (user or computer) adj (identif\$9 or information or data)and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:24 |
| - | 123 | borrow\$6 with record\$5 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:25 |
| - | 4 | borrow\$6 with record\$5 with module and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:25 |
| - | 0 | borrow\$6 with stor\$5 with (information or data) with dongle and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:26 |
| - | 502 | (chip or card or smart\$card) with stor\$5 with key with identif\$8 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:30 |
| - | 24 | (send\$5 or transmit\$5) with retriev\$6 with key with module and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:45 |
| - | 66 | (dongle) with key and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 18:59 |
| - | 11 | track\$5 with (user or computer) with (identif\$9 or information) and dongle and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:08 |
| - | 56 | stor\$5 adj user adj identifier and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:09 |

| | | | | |
|---|-----|--|---|------------------|
| - | 2 | stor\$5 adj user adj identifier with device and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:10 |
| - | 350 | stor\$5 adj2 user adj (ID or identifier) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:21 |
| - | 150 | track\$5 with user with identifier and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:22 |
| - | 46 | (retriev\$5 or eras\$5) adj2 key near3 computer and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:30 |
| - | 38 | transfer\$5 adj2 possession and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:36 |
| - | 6 | dongle with identifier and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:40 |
| - | 4 | dongle with id and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:42 |
| - | 4 | dongle with id and dongle and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:47 |
| - | 58 | ((key adj module) or (hardware adj key) or dongle) with memor\$3 and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 19:54 |
| - | 19 | dongle with memory and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:14 |
| - | 65 | 705.clas. and dongle and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:14 |
| - | 7 | 705.clas. and dongle with memory and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:20 |
| - | 73 | prevent\$5 with pira\$4 with copy and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:21 |
| - | 19 | dongle with (software or program).ab. and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:49 |
| - | 5 | (id or identifier) with (load\$3 or stor\$5) with ((hardware adj key) or dongle or (key adj module)) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 20:52 |
| - | 48 | dongle with(receiv\$5 or load\$5 or stor\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 21:06 |

| | | | | |
|---|----|---|---|------------------|
| - | 32 | dongle near3 (receiv\$5 or load\$5 or stor\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 21:10 |
| - | 24 | return\$5 with (borrow\$5 or rent\$5) with software and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/07 21:17 |
| - | 19 | rent\$6 with key with (decrypt\$5 or decipher\$5 or decod\$5) and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/10 09:46 |
| - | 1 | dongle with first with memory and @ad<=19991229 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/05/10 10:26 |